



FACTORY ADD: HAILIAN CHUANGYE YUAN, BINHAI INDUSTRIAL AREA, SHUITOU TOWN, NANAN, FUJIAN
TEL: 0595 22308536 **FAX:** 0595 22308537
MOBILE: 0086 18150515179

www.dlstonetools.com

| One-Stop Solution For Your Stone |

DIALEAD
STONE TOOLS



CORPORATE CULTURE

Our Mission: To process the stone products better.

Our Vision: To Help the world recognize Chinese products.

Our Tenet: Top-Class Quality and Excellent Service.

Talent Concept: To respect, service and cultivate talents.

Service Concept: Superior Products, Solid Price and Sincere Service.



www.dlstonetools.com

CONTENTS

COMPANY PROFILE	01/02
DIAMOND SEGMENTS & SAW BLADE	03/06
MARBLE ABRASIVES	07/10
GRANITE ABRASIVES	11/14
STONE BRUSH ABRASIVES	15/16
PROFILING TOOLS	17/20
STONE ADHESIVE	21/23



ONE-STOP SOLUTION FOR YOUR STONE



COMPANY PROFILE www.dlstonetools.com



Founded in 2001, Quanzhou Dialead Stone Tools Co.,Ltd is a high-tech enterprise for stone processing with its own import and export right that integrates R&D, manufacture and sales into one. With three factories focusing on polishing abrasives and diamond segments/-saw blades and stone adhesive respectively, Dialead can surely meet your needs of stone processing somewhere without fail. Attributed to its great technical advantages, Dialead has managed to develop a broad range of products such as marble and granite polishing abrasive tools, diamond segments and saw blade, polishing pad, tools for special shape and stone adhesive etc. In ever-lasting pursuit of best quality, Dialead is well received by world-wide customers from Iran, Turkey, India, Pakistan, Russia, Ukraine, U.S.A, Canada and etc.

Located in world-famous stone city Shuitou with more than 3000 stone factories, Dialead finds its own way to tell itself apart from other diamond tools suppliers by testing its products in local stone factories and adjusting its formula to the best before selling to the world.

In terms of marble magnesite abrasives, Dialead takes 90% of market share in China with 40 production lines. Monthly polishing capacity hitting over 350,000 square meters. Dialead is capable to produce more than 3500 cartons of Frankfurt abrasives per day.

Thanks to its outstanding technical support, Dialead can adjust the formula of segments at customers' request either for sharp model or long life model. Far to Iran, India, Ukraine, Russia, Dialead wins good sales and great reputation.

As one of the leading stone adhesive manufacturer in China with over 400 tons of glue production per month, Dialead manages to introduce advanced technology and devices from Germany to provide itself with strong brand and technology support in the field of stone glue, stone caring and stone waterproof. Its products are ISO9001 certified.

In unremitting endeavor of best quality, best service and best efficiency, Dialead will surely present you one-stop solution for stone cutting, polishing and glue. Dialead sincerely welcomes clients at home and abroad to pay a visit to start long-running win-win business.

DIAMOND SEGMENTS SAW BLADE

www.dlstonetools.com



In terms of segments, after years of testing and applying again and again in both domestic and foreign markets, Dialead now get specific hot-sellers under its belt in many countries, such as 2000mm granite segments and multiblade segments in Indian market, 400mm&1200mm&1600mm marble and granite segments in Iran market, 1200mm multiblade segments, 2000mm and 3000mm single blade granite segments in Ukraine and Russia Market. Besides, 350mm saw blade and 3000mm granite segments win Dialead high recognition in North America market.

DIAMOND SEGMENTS

Specialized in diamond segments of all specifications, Dialead feature its products with long life span and sharpness. Dialead can adapt the formula of segments to the hardness and abrasiveness of different granite, marble, limestone, travertine, quartz and etc. Single blade segment, Multiblade segment, Core Drill bit Segments, Profiling Segment are all our main professional products.



DIAMETER		SEGMENT DIMENSION			SEGMENT NUMBER
Inch	mm	Length (mm)	Width(mm)	Height(mm)	PCS
36"	900	24	7.0/6.4	13/15/20	64
40"	1000	24	7.4/6.8	13/15/20	70
48"	1200	24	7.8/7.2	13/15/20	80
56"	1400	24	8.4/7.8	13/15/20	88
64"	1600	24	9.2/8.6	13/15/20	108
72"	1800	24	10/9.4	13/15/20	120
80"	2000	24	10.8/10.2	13/15/20	128
80"	2200	24	10.8/10.2	13/15/20	132
100"	2500	24	11.8/11.2	15/20	140
120"	3000	24	13/12	15/20	160

Other sizes at your request

DIAMOND SAW BLADE

DIAMETER	SEGMENT SIZE	THICKNESS	SEGMENT NUMBER	APPLICATION
mm	Length*Width*Height (mm)	mm	PCS	STONE
300	40*3.2*10/12/15	2.2/2.4	21	GRANITE
350	40*3.2*12/15/20	2.2/2.4	24	
400	40*3.6*12/15/20	2.6/2.8	28	
450	40*4*12/15/20	2.8/3.3	32	
500	40*4.2*12/15/20	3.0/3.3	36	
550	40*4.2*12/15/20	2.8/3.5	38	
600	40*4.6*12/15/20	2.8/3.5	42	
700	40*5*12/15/20	3.6/4.0	46	
800	40*6*12/15/20	4.5	50	

Other sizes at your request

DIAMETER	SEGMENT SIZE	THICKNESS	SEGMENT NUMBER	APPLICATION
mm	Length*Width*Height (mm)	mm	PCS	STONE
300	40*3.2*8/10	2.2/2.4	21	MARBLE
350	40*3.2*8/10	2.2/2.4	24	
400	40*3.6*8/10	2.6/2.8	28	
450	40*4*8/10	2.8/3.3	32	
500	40*4.2*8/10	3.0/3.3	36	
550	40*4.2*8/10	2.8/3.5	38	
600	40*4.6*8/10	2.8/3.5	42	
700	40*5*8/10	3.6/4.0	46	
800	40*6*8/10	4.5	50	

Other sizes at your request



FOR GRANITE

Suitable for different kinds of granite, slate, quartz on bridge slab cutter, bridge block cutter etc. Normal blade and silent blade are both available for your choice.



FOR MARBLE

Suitable for different kinds of marble, travertine, limestone on bridge slab cutter, bridge block cutter etc. Normal blade and silent blade are both available for your choice.

DRY CUTTING BLADE CONTINUOUS CUTTING BLADE TURBO CUTTING BLADE

Suitable for different kinds of granite, marble and ceramic etc on hand-held cutter mainly. Cold pressed and hot pressed product are both available for your choice.

DESCRIPTION	DIAMETER		INNER HOLE	SEGMENT DIMENSION		APPLICATION
	INCH	mm	mm	Thickness(mm)	Height(mm)	
Dry Cutting Blade Continuous Cutting Blade Turbo Cutting Blade	4	105	20/22.23	1.7	5/7/9	GRABITE MARBLE CERAMIC
	4.3	110	20/22.23	1.7	5/7/9	
	4.5	115	20/22.23	1.9	5/7/9	
	5	125	20/22.23	1.9	5/7/9	
	6	150	20/22.23	1.9	7/9	
	7	180	20/22.23	2.2	7/9	
	8	200	20/22.23	2.2	7/9	
	9	230	20/22.23	2.4	7/10/12	

Other sizes at your request



DIAMOND ELECTROPLATED PADS

Suitable for marble on hand-held cutter mainly. Compared with sintered blade, Diamond Electroplated Pads show higher sharpness



DESCRIPTION	DIAMETER		INNER HOLE	APPLICATION
Diamond Electroplated Pads or grinding wheels and Blade	INCH	mm	mm	STONE
	4.6	115	20/22.23	MARBLE
	5	125	20/22.23	
	6	150	20/22.23	
	7.2	180	20/22.23	
	9.2	230	20/22.23	

Other sizes at your request


MARBLE ABRASIVES

www.dlstonetools.com



Dialead is one of the leading manufacturer of marble abrasives in China. Contracting 40 production line in shuitou, our polishing capacity can hit 3,500,000M² per month. We can talor the formula of abrasives to specific marble/travertine/slabs/tiles. In terms of glossiness, we can achieve 110 degree or even above on some marble stone.

DIAMOND FRANKFURT ABRASIVE



DESCRIPTION	CODE	GRIT NO	PACKAGE	APPLICATION
Metal Frankfurt Abrasive	DMA-000	46#, 60#, 80#, 120#, 150#, 180#	36pcs/Carton 40boxes/Pallet	Marble/Travertine Artificial Marble

Mainly used on automatic line polishing machine or manual polishing machine

MAGNESITE FRANKFURT ABRASIVE



DESCRIPTION	CODE	GRIT NO	PACKAGE	APPLICATION
Magnesite Frankfurt Abrasive	DMA-001	24#, 36#, 46#, 60#, 80#, 120#, 180#, 220#, 240#, 280#, 320#	36pcs/Carton 40boxes/Pallet	Marble/Travertine Artificial Marble

Mainly used on automatic line polishing machine or manual polishing machine


SYNTHETIC FRANKFURT ABRASIVE



DESCRIPTION	CODE	GRIT NO	PACKAGE	APPLICATION
Synthetic Frankfurt Abrasive	DMA-002	400#, 600#, 800#, 1000#, 1200#	36pcs/Carton 40boxes/Pallet	Marble/Travertine Artificial Marble

Mainly used on automatic line polishing machine or manual polishing machine

5 EXTRA FRANKFURT ABRASIVE



DESCRIPTION	CODE	GRIT NO	PACKAGE	APPLICATION
5/10 extra	DMA-003	0#	36pcs/Carton 40boxes/Pallet	Marble/Travertine Artificial Marble

Mainly used on automatic line polishing machine or manual polishing machine

CLEANER FRANKFURT ABRASIVE



DESCRIPTION	CODE	GRIT NO	PACKAGE	APPLICATION
Cleaner	DMA-004	Cleaner	36pcs/Carton 40boxes/Pallet	Marble/Travertine Artificial Marble

Mainly used on automatic line polishing machine or manual polishing machine

NYLON PAD FRANKFURT ABRASIVE



DESCRIPTION	CODE	GRIT NO	PACKAGE	APPLICATION
Nylon Pad	DMA-005	6000#/10000#	36pcs/Carton 40boxes/Pallet	Marble/Travertine Artificial Marble

Mainly used on automatic line polishing machine or manual polishing machine

EDGE CHAMFERING WHEEL



DESCRIPTION	CODE	GRIT NO	DIAMETER	PACKAGE	APPLICATION
Magnesite edge chamfering wheel	DMA-006	24#, 36#, 46#, 60#, 80#, 120#, 180#, 220#, 240#, 280#, 320#	90mm/130mm	20pcs/Carton	MARBLE
Synthetic edge chamfering wheel	DMA-007	400#, 600#, 800#, 1000#, 1200#			
5 Extra chamfering wheel	DMA-008	0#			

Mainly used on automatic line polishing machine or manual polishing machine

GRANITE ABRASIVES

www.dlstonetools.com



Dialead can supply all kinds of granite abrasive for automatic line polishing machine and manual polishing machine. Our fickert abrasives and disc abrasives are both well received in market for their high polishing capacity and glossiness. Take Italian Barsanti Machine as an example, one set of our diamond fickert can work even 70,000 m² of granite#G603.

DIAMOND SATELLITE CALIBRATING WHEEL



DESCRIPTION	CODE	GRIT NO	SIZE	PACKAGE	APPLICATION
Diamond Satellite Calibrating Wheel	DGA-000	35/40#, 50/60#, 70/80#, 100/120#, 140/170#, 230/270#, 325/300#	D140/D170mm	36pcs/Carton 40boxes/Pallet	GRANITE/QUARTZ

Mainly used on automatic line polishing machine or manual polishing machine

DIAMOND FICKERT



DESCRIPTION	CODE	GRIT NO	SIZE	PACKAGE	APPLICATION
Diamond Fickert	DGA-001	35/40#, 50/60#, 70/80#, 100/120#, 140/170#, 230/270#, 325/300#	D140/D170mm	24pcs/Carton 40boxes/Pallet	GRANITE/QUARTZ

Mainly used on automatic line polishing machine or manual polishing machine

MAGNESITE FICKERT ABRASIVE



DESCRIPTION	CODE	GRIT NO	SIZE	PACKAGE	APPLICATION
Magnesite Fickert Abrasive	DGA-002	24#, 36#, 46#, 60#, 80#, 120#, 180#, 220#, 240#, 320#, 400#, 600#, 800#, 1200#, 1500#, 1800#	L140/L170mm	24pcs/Carton 40boxes/Pallet	GRANITE/QUARTZ

Mainly used on automatic line polishing machine

RESIN FICKERT ABRASIVE



DESCRIPTION	CODE	GRIT NO	SIZE	PACKAGE	APPLICATION
Resin Fickert	DGA-003	120#, 180#, 240#, 320#, 400#, 600#, 800#, 1200#, 1500#, 3000#	L140/L170mm	24pcs/Carton 40boxes/Pallet	GRANITE/QUARTZ

WATER BUFF PRESSED LUX



DESCRIPTION	CODE	COLOUR	SIZE	PACKAGE	APPLICATION
Water Buff	DGA-004	Green/White/Black/Brown	L140/L170mm	24pcs/Carton	GRANITE/QUARTZ
Water Buff	DGA-005	Red/White/Black/Brown	L140/L170mm	40boxes/Pallet	GRANITE/QUARTZ

GRINDING DISC



DESCRIPTION	CODE	GRIT	SIZE	PACKAGE	APPLICATION
Metal grinding Disc	DGA-006	50#/100#/200#/400#	D200/250mm	10pcs/carton	GRANITE
Resin grinding Disc	DGA-007	500#/800#/1500#			
Buff Grinding Disc	DGA-008	Red/White/Black/Brown			

Mainly Used for automatic line polishing machine or manual polishing machine

STONE BRUSH ABRASIVES

www.dlstonetools.com



Dialead is one of the few manufacturer of brush in China, who realize full automatic production. Made by mixig high-quality Nylon material and Nanometer reinforcement with high-purity silicon carbide, our brush is applicable to kinds of polishing equipments, such as automatic line polishing machine, floor renew machine, manual polishing machine and hand-held polishing machine. Our brush can make natural stone/polished tile/microlite not only antique, but also anti-slipping.

DIAMETER	CODE	GRIT NO	APPLICATION
Diamond Brush Abrasive	DFB-000	24#/36#/46#/60# 80#/120#/180#/240# 320#/500#/800# 1000#/1200#/1500#	Suitable for grinding the granite,marble,quartz and concrete etc
General Brush Abrasive	DFB-001		Suitable for grinding the granite,marble,quartz and concrete etc
Strengthened Brush Abrasive	DFB-002		
Mixed Brush	DFB-003		
Steel Brush	DFB-000		STEEL
Steel Rope	DFB-005		
Honed finish Brush	DFB-006	60#/120#/220#/320#400#/600#	Suitable for making honed finish on granite/marble and artificial stone surface



FRANKFURT BRUSH ABRASIVE

Mainly Used on Automatic line polishing machine and manual polishing machine

CIRCULAR BRUSH ABRASIVE



FICKERT BRUSH ABRASIVE



DIAMETER	CODE	GRIT NO	DIAMETER	APPLICATION
Circular Diamond Brush Abrasive	DFB-013	24#/36#/46# 60#/80#/120# 180#/240#/320#500# #/800# 1000#/1200# 1500#	100MM - 300MM	Suitable for grinding the granite,marble,quartz and concrete etc
General Circular Brush Abrasive	DFB-014			Suitable for polishing and cleaning the surface impurity of granite,marble, quartz and concrete etc
Circular Mixed Brush	DFB-015	STEEL		
Circular Steel Wire Brush	DFB-016			

DIAMETER	CODE	GRIT NO	APPLICATION
Diamond Brush Abrasive	DFB-007	24#/36#/46#/60#/80# 120#/180#/240#320# 500#/800#/1000#/1200# 1500#/3000#	Used to polishing granite to get antique surface
General Brush Abrasive	DFB-008		
Strengthened Brush Abrasive	DFB-009		
Fickert Mixed Brush	DFB-010	STEEL	Used for processing and cleaning the surface impurity of granite,marble,quartz and concrete
Fickert steel wire brush	DFB-011		
Fickert Strengthened steel rope brush	DFB-012		

PROFILING TOOLS

www.dlstonetools.com



After years of research and development, Dialead has worked out a collection of profiling tools featured by long lifespan and high sharpness. These tools can work on curved faces and profiles of stone to chamfer, renew, calibrate and drill.

DIAMOND WET DRY POLISHING PAD

to work on curved faces of stones from rough grinding , fine grinding to final polishing. we have also got 3-step and 5-step type



DESCRIPTION	CODE	GRIT NO	GRIT	APPLICATION
Diamond wet and dry Polishing Pad	DPD-000	80mm/100mm/125mm/ 150mm/180mm	50#/100#/200#/400#/500#/800#/1000# 1500#/2000#/3000#/Buff	Marble/Granite/Quartz

FLOOR POLISHING PAD

Suitable for renew the floor of granite,marble, ceramic, quartz etc.



DESCRIPTION	CODE	GRIT NO	GRIT	APPLICATION
Floor Polishing Pad	DPD-001	80mm/100mm/125mm/150mm/180mm	50#/100#/200#/400#/500#/800#/1000#/1500#/2000#/3000#/Buff	Marble/Granite/Quartz-concrete Floor

DIAMOND FLOOR PAD

Mainly used for polishing the surface of concrete/Marble/Granite floor, wet and dry use both accepted.



Mainly Used for automatic line polishing machine or manual polishing machine

DESCRIPTION	CODE	GRIT	APPLICATION
Circular diamond floor pad	DFP-000	16#/20#/30#/50#/60# 80#/100#/120#/150#/200# #/300#/400#	Concrete/Marble Granite Floor
Fan-Shaped Diamond floor Pad	DFP-001		

DIAMOND CUP WHEEL

Mainly used for buffing and sculpturing stones on the manual grinding machine. it is friendly used and with high efficiency.



DESCRIPTION	CODE	DIAMETER	INNER HOLE	CONNECTION
Diamond Cup Wheel	DDW-000	100MM	20mm 22.23mm	M14 M16 5/8"-11
		125MM		
		150MM		
		180MM		

PORTABLE ROUTER BITS / CNC PROFILING WHEELS DIAMOND PROFILING WHEEL



Mainly used for portable grinding machine, for profiling countertops. Specification can be ordered.

DESCRIPTION	CODE	POS	APPLICATION
Portable Router Bits	DRB-000	#1/#2/#3/#4 #5/#6#7	0#/50#/100#/200#400# #/800#1500# 3000#
CNC profiling Wheel	DPW-000		
Diamond Profiling Wheel	DPW-001	Diameter 150mm/300mm	

DESCRIPTION	CODE	DIAMETER	LENGTH	CONNECTION	
				SHANK DIAMETER	THREAD
Diamond Core Drill Bits	DDB-000	4-300mm	50-400mm	10mm/12mm/12.7mm	1/2G 5/8"-11 M10/M12/M14/M22/M24



GROOVING WHEELS DRUM WHEELS



Mainly used for grooving and polishing the countertops

DESCRIPTION	CODE	DIAMETER	GRIT
Diamond Grooving Wheel	DGW-000	100mm	36#/50#/100#/200# 400#/800#/1500# 3000#
Diamond Drum Wheel	DDW-001	50MM	36#/46#/50#/100# 200#/400#/800# 1500#/3000#
		75MM	
		100MM	
		100MM	

BUSH HAMMER ALLOY GRINDING WHEEL



mainly used for grinding the litch surface with much higher working efficiency than manpower

DESCRIPTION	CODE	DIAMETER	WHEEL NUMBER
Quincunx bush hammer grinding wheel	DBH-000	100mm/125mm 150mm/200mm 250mm	3/4/6pcs

Other size at your requests

STONE ADHESIVE

www.dlstonetools.com



With advanced technology and equipment introduced from Germany ,Dialead is the biggest manufacturer of glue in the world famous stone city-Shuitou. Slab repair glue for both light colour and dark colour stone,AB Epoxy for onyx slab repair,Vacuum Filled Glue for block and Block Composite Adhesive AB glue, all fall into our line of business. Our products are well received in Iran, Turkey, Thailand etc

Stone Repair Glue-2:1 good penetration(especially for white slab)
Glue for stone A/B Glue-Stone Repair Glue-Good penetration



PACKAGE	METAL PACKAGE/200KG PER BARREL
Features	1, strong bonding performance 2, high degree of transparency 3, good leveling property 4, good antifoaming property
Application	1, Mix the glue at the rate of 2:1, the glue must be used immediately after preparation. 2, For light colour marble like White Marble mainl which have crack, fissure, sandhole, loosening problems
Precautions	1, kept in a cool place below 25° 2, the storage life is 6 months 3, Small trial before massive use

Stone Repair Glue-4:1 High Permeability
Resistant to yellow(especially for white slab)
Glue for stone A/B Glue-Stone Repair Glue-Good Penetration



PACKAGE	METAL PACKAGE/200KG PER BARREL
Features	1, strong bonding performance 2, high degree of transparency 3, good leveling property 4, good antifoaming property
Application	1, Mix the glue at the rate of 4:1, the glue must be used immediately after preparation. 2, For light colour marble like White Marble mainl which have crack, fissure, sandhole, loosening problems
Precautions	1, kept in a cool place below 25° 2, the storage life is 6 months 3, Small trial before massive use

Stone Repair Glue-7:1 High Permeability (especially for dark colour slab and beige colour slab)
Glue for stone A/B Glue-Stone Repair Glue-Good Penetration



PACKAGE	METAL PACKAGE/200KG PER BARREL
Features	1, strong bonding performance 2, high degree of transparency 3, good leveling property 4, good antifoaming property
Application	1, Mix the glue at the rate of 7:1, the glue must be used immediately after preparation. 2, For dark colour slabs like black, grey and beige colour slabs which have crack, fissure, sandhole, loosening problems
Precautions	1, kept in a cool place below 25° 2, the storage life is 6 months 3, Small trial before massive use

BLOCK COMPOSITE ADHESIVE A/B GLUE




PACKAGE	METAL PACKAGE/25KG PER BARREL
Features	1, Big Cohesive Force 2, High Viscosity 3, Good stability
Application	1, Used for stone block reinforcement and back side connection. 2, In the course of stone processing, loss, edge breaking, crack and damage may occur due to sharp vibration of the saw, stone texture, wrong cutting direction.
Precautions	1, stored in cool places without direct sunshine and shall be covered tightly after being used. 2, Gloves, breathing mask and safety glasses should be prepared in working site.

FIBERGLASS MESH

Our fiberglass mesh is widely used in wall reinforced material and cement products in architecture industry and featured by stable chemical stability, fire insulation and thermal preservation.

DESCRIPTION	WEIGHT	LENGTH	WIDTH	NET HOLE	COLOUR	APPLICATION
Fiberglass mesh	45g/m ² - 500g/m ²	50/100 150/200 250/300M	1M-2M	3*3 4*4 5*5 etc	White Orange Blue etc	Reinforced Marble backing concrete wall, water-proofing coil cloth etc



DIALEAD OFFER ONE-STOP SOLUTION FOR YOUR STONE

THEIR CHOICE WILL BE YOUR GUARANTEE OF QUALITY

DOMESTIC CLIENTS



WORLD MARKETING CHANNEL

